This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

					•
			,		
•					
			·		
	•				
		•		•	
		•			
			•		
			•		-
•					
					_
				•	
					•
					`
				•	

BUNDESREPUBLIK DEUTSCHLAND

int. Cl.: F 16 s, 3/06 A 47 b, 87/00 A 47 f, 1/00

MEST CERMANA RECORDED

PATENTAMT

Deutsche Kl.:

47 a5, 3/06 34 i, 87/00 -

34 1, 1/00 6 - 1973

Offenlegungsschrift 2160513

Aktenzeichen:

P 21 60 513.0-25

Anmeldetag:

7. Dezember 1971

Offenlegungstag: 14. Juni 1973

Ausstellungspriorität:

Unionspriorität

Datum:

Aktenzeichen:

37681U-A. DT-160513..U27.

Walloch W HL.

/WAL.07-12-71.

*DT-2160513-Q.


F16s-03/06 A47b-87/00 A47f-01/00 (14-06-73)... UNIT BUILDING SYSTEM - WITH PVC COVER PLATES INSERTED IN: PLASTIC PROFILE RODS AND STREAM-LINED PROFILES. .

Unit building system has PVC cover plates inserted in plastic profile rods and stream-lined profiles, the plates being square and having two grooves on their edges so that they can be fitted together after mounting the profiled rods. The plates possess different stamped shapes and have a control opening through which a light source can be projected and air can circulate.

Excellent stability. Easily varied in construction.
Good weather resistance. Simple construction. Low expansion coefficient.

Plastic door hinges can be fitted into and gripped firmly by the profile rods and streamlined profiles. profiles possess outer contact grooves arranged in pairs,

two contact pins, and two guide sockets on the core for plugs or lamp bulbs. The grooves, contact pins and guide sockets are connected by a conductor.



37681U

Prüfungsantrag gemäß § 28b PatG ist gestellt

BUNDESREPUBLIK DEUTSCHLAND

int. Ci.:

A 47 b, 87/00 A 47 f, 1/00

GROUP CLASS Z//


Deutsche Kl.: 47 a5, 3/06


34 i, 87/00

341, 1/00


6 - 1973

(54)	Bezeichnung:	Stern System (Profiletanger and Sandar Co.
research in	유럽 과 원칙과 전략 등 경기 등 기술을	Stern System (Profilstangen und Stromprofile als
		einheitliches Bausystem)
	with the start of the first	,然后要要为了\$P\$,我就放弃,我们是这个人有效的效应,我们是不是有效的的。我们就要看到这个人。
6 1	Zusatz zu:	
@	Ausscheidung aus:	
	Telligen in the second of the Telling in	Walloch Willsiad IV I 1000 P
ന	Anmelder:	Wall 1 walls
a de la companya de l		Walloch, Willfried H. L., 1000 Berlin
stra destructiv		
ÇOZYON ÇOYÜN İ	Vertreter gem. § 16 PatG	
	分析系統 科、現事 人 体表 177.0% 在 1	
A. P. C. L. A.		
(72)	Als Erfinder benome	Erfinder ist der Anmelder
, 7 % S	Thinder benannt.	Erlinder ist der Anmelder
	2. 特别的第三条数据 4. 多数比较为多价。	
·		The state of the s
ia 🗼 . A 🕏	The state of the s	
	Rechercheantrag gemäß	S 28 a ParC in
	Detroise and the german	8 40 a raiu isi gesicili
	Prüfungsantrag gemäß §	28 b PatG ist gestellt
	S Papel In The Water Steel House Inc. of	一块了一个,在这个意思,只是是全国的工作,但是是这种种种种,但是是是是是一种的一种的工作。





QÚADRAT




DREIECK'


willtred h. Walloch.

er of the k. Chib k.

1. tering 1. nesseusche str. 39.



KERN WAHLWEISE SECHSEGKO.QUADRAT



309824/0558

willfried h. I welloch.


erchie k.t. h.b.k.

1 berlin 31, nazeauische atr. 30

2160513




1 barlin 31, nazzaulsche str. 30




Willfried hillwalloch
architekriedkirhbk
Theim 31 nasausche str. 36
[1 berim 31 nasausche str. 36
[1 berim 31 nasausche str. 36

14


Willfried h I walloch






15

ISOMETRIE BAUHOHE: 2.50m BLENDHOHE: 0,40m.




BAUFORM 60°




willfried h. I. walloch.

architeakt hbk
barlin 31, nazaeuische sir. 36




BAUFORM 45°





willfried h.l. walloch,
architekt hbk

1 berlin 81. nessauische str. 38





AUSGLEICHSFUSS S PASSEND FÜR PROFILE 123456








will!














STERVILLICHTIE SYSTEM





hok




willfried h.l. walloch.

architakt hbk


1 berlin 31, nassauische atr. 38


JUHUCKER III

304824/0558




DIERNE GRAFAEISYSTEM






STERN Z PUNKT @ SYSTEM



architekt hbk








willfried h.l. wellech.

Of 8 h 1 t o k 1 h b k


1 bodie 81 consultate et. 00


2160513



willfried h. i. walloch architekt hbk 1 berlin 31, nassauische str. 39 wiston: 874780. vorwahl: 0311














STERNIZPLATTE












1 berlin 31, nassauische str. 38







willfried h. i. welloch,
erchitekt hbk
1 berlin 31, nessewische str. 38
toleion: 874750, vorwehl: 0311



